## ORDNANCE SUPPLY CATALOG

Group G

Technical Reference TM 10-1281

## Higher Echelon Spare Parts and Equipment (Addendum)

for

### TRAILER,

1/4-TON PAYLOAD, 2-WHEEL, CARGO, 1942-43

(American Bantom T-3 and Willys MBT)

Supersedes ORD 8 portion of ORD 7-8-9, SNL G-529, 11 February 1944 and that part of changes No. 2, 25 August 1944, and Changes No. 3, 20 February 1945, that apply to ORD 8 portion.

Headquarters, Army Service Forces, 5 July 1945

Scanned by Jon Rogers - http://jeepdraw.com - October 2007

ARMY SERVICE FORCES CATALOG

ORD 8 SNL G-529
HESP&E (ADDENDUM)

Quick Reference Index

GENERAL INFORMATION

06 ELECTRICAL

AXLE

12 BRAKES

13 WHEELS, HUBS

15 DRAWBAR AND SUPPORT LEGS

6 SPRINGS AND SHOCK ABSORBERS

17 FENDERS

18 BODY

22 MISCELLANEOUS ACCESSORIES

23 GENERAL USE STAND-ARDIZED PARTS

MAINTENANCE TOOLS FOR ORDNANCE PERSONNEL

NOTES

INDEXES

## ORDNANCE SUPPLY CATALOG

Group G

**Technical Reference TM 10-1281** 

Higher Echelon Spare Parts and Equipment (Addendum)

for

# TRAILER, 1/4-TON PAYLOAD, 2-WHEEL, CARGO, 1942-43

(American Bantam T-3 and Willys MBT)

GENERAL INFORMATION—Listed herein are the estimated quantities of major items, component parts and equipment for Trailer, \(^1\)4-ton payload, 2-wheel, Cargo, 1942-43 (American Bantam T-3 and Willys MBT), stocked for maintenance and overhaul.

. For full information relative to the Ordnance Supply Catalog, the procedure followed and the principles employed in their compilation, together with the purposes and used thereof, see ORD 1, Introduction; ORD 2, Index; and the (OPSR) Ordnance Provision System Regulations.

## Headquarters, Army Service Forces,

Washington 25, D. C., 5 July 1945

Army Service Forces Ordnance Supply Catalog, ORD 8, SNL G-529, 5 July 1945, has been prepared under the supervision of the Chief of Ordnance and is published for the information and guidance of all concerned

[SPX 461 (29 June 45)]

BY COMMAND OF GENERAL SOMERVELL:

Official:

EDWARD F. WITSELL

LeR. LUTES

Major General

Major General, GSC

Acting The Adjutant General

Chief of Staff

DISTRIBUTION: AAF (10); AGF (10); ASF (2); T of Opns (10); AAF Comds (2); Arm & Sv Bd (1); S Div ASF (1); Tech Sv (2); Sv C (10); PC&S (1) except Air Bases (3); PE 9 (5); Dist O, 9 (5); Dist Br O 9 (3); Reg O, 9 (3); Establishments 9 (except Am. Establishments) (5); Decentralized Sub-O, 9 (3); Tk Deps 9 (5); Gen & Sp Sv Schs (10); USMA (2); A (10); CHQ (10); D (2); R 9 (2); Bn 9 (2); C 9 (3); AF (5). For explanation of symbols see FM 21-6.

#### GENERAL INFORMATION (Cont'd)

In the event that the stock numbers in this pamphlet do not correspond with those used in the ORD 9, List of all Service Parts, for these items, the stock numbers in this pamphlet will govern.

ORDNANCE OR MANUFACTURER PART NUMBER AND ORDNANCE OR MANUFACTURER DRAWING NUMBER—In columns 3 and 4 manufacturers' numbers will always appear in parentheses. When more than one number applies to the same part, all except the first will be indented.

INITIAL ISSUE LOAD GUIDE—Columns 6 (a) and (b) list the quantities of spare parts and equipment to be used as an initial issue guide to 3rd and 4th echelon organizations.

ARMY DEPOT GUIDE (Per 100 Major Items 30 Day Stock)—Column 7 should be used by the Army Depot as a guide in establishing initial quantities of spare parts and equipment on hand.

In order that the Ordnance Department at large may be able to make equitable distribution of the total stock of any one item, ordnance organization commanders should limit their requisitions and stocks to the absolute minimum requirements that are estimated to be necessary for each contemplated tactical operation. The Chief Ordnance Officer of a Force is responsible that various units in the Force do not use the same number of major items in computing their stocks; e.g. if there is a grand total of 168 Vehicles in the entire Force, each ordnance unit in the Force should not claim the entire 168 Vehicles as a basis for computing its stocks. The Chief Ordnance Officer must allocate, for spare parts stockage purposes, the number of Vehicles of the Force among the various ordnance units. See "Supply Functions of Company," FM 9-10; Ordnance Field Maintenance.

BASE DEPOT (including 5th echelon)—Column 8 lists the estimated quantities of parts required for one year's maintenance per 100 major items.

PROCUREMENT—Column 9 lists the quantity procured for one year's maintenance per 100 major items, including the distribution factor required for proper functioning of the Ordnance Provision System.

UNIT WEIGHT-Column 10 lists the unit weight of the item; 10% should be added for weight of packing.

GUIDE FOR 100 MAJOR ASSEMBLY REBUILDS—Column 12 lists the quantity of each part estimated to be necessary for rebuilding 100 major items or component assemblies of the major item.

First and Second Echelons—Using troops performing first and second echelon maintenance are authorized to requisition only those parts marked by a % sign in column 1 as well as any standard hardware. The % symbol indicates those spare parts which are authorized in the ORD 7 sections of the Ordnance Supply Catalog (SNL's) and in addition denotes those parts which, while not normally carried by using organizations, may be issued to them for replacement purposes.

Federal Stock Numbers: Classifications codes for Federal Stock Numbers listed herein will be found in ORD 5-2 "Stock List."

#### SPECIAL INFORMATION

Major Item Designation: The major item covered by this catalog is designated as a general purpose vehicle as defined in paragraph 3, AR 850-15, dated 28 August 1943.

Components of Kits, Sets and Assemblies: Whenever any doubt might exist as to the components of an assembly an explanatory statement or a complete listing of components is furnished. For all KITS and SETS a complete listing of components is given. Those components of a KIT or SET which are available as separate items are cross referenced so that separate parts can be requisitioned when one or two items are needed and the entire KIT or SET can be requisitioned when appropriate for the work to be done.

Attaching Parts: Attaching parts such as bolts, nuts, screws and washers are indented under the part or assembly attached, provided that part or assembly is also an authorized item of issue. If the part attached is not an authorized item of issue, the attaching parts are listed in one of two ways: if special, they are placed in their own alphabetical position in the group. If standard hardware, they are listed only in group 2304 without relation to individual usage on the vehicle.

Standard Hardware and Bulk Material: All standard hardware and bulk material applicable to the vehicle is summarized in group 2304. Only such standard hardware as may be indented (as an attaching part) under another part is listed elsewhere in the book. Procurement quantities are shown only in group 2304 for standard hardware and bulk material. No echelon breakdown is shown in this group as such items for the lower echelons are issued by the fifth echelon.

Indexes: Complete indexes, alphabetical and numerical, are to be found at the back of the book. These indexes and contents are explained in brief paragraphs at the beginning of each index.

Stock Numbers: The prefix of the SNL type stock number (i.e. G544, G518, etc.) signifies that the particular part or component was originally coded under the major item designation for that SNL and does NOT mean that the part is used only in that major item. All subsequent lists which include that same part will show the identical stock number.

#### Publications Pertaining To This Vehicle:

Operator's Manual

TM 10-1281

Definition of Locational Terms: The terms RIGHT and LEFT are determined by standing at the rear of the vehicle and looking forward.

How To Find Parts: This catalog is arranged and cross-indexed so that parts can be found easily even though only one of the several identifying factors is known. The various ways in which parts can be located are as follows:

If the nomenclature (basic name) only is known, and the subgroup is not, refer to the alphabetical index in the back of the book. This index will give the subgroup in which the part is listed. As the part names are arranged in alphabetical order within this subgroup, the complete listing of the part can readily be found.

If any of the numbers—Ordnance, manufacturers' or stock—is known, refer to the appropriate numerical index in the back of the book. This index will give the subgroup number in which the part is listed. By checking the appropriate number column in that subgroup, the complete listing of the part can readily be found.

If the use, function or location, of the part is known, refer to the standardized government grouping immediately following this explanation. Then turn to the subgroup selected and determine the proper item.

Notice of discrepancies or suggested changes should be directed to Office, Chief of Ordnance-Detroit, Maintenance Division, Military Publications Branch, SPOMM-BM, Detroit 32, Michigan.

Standardized Government Grouping: The parts listed in this catalog are arranged by groups and subgroups and alphabetically within these groups. Parts are grouped primarily on the basis of their function. This arrangement facilitates location and selection of parts. See "How To Find Parts" immediately preceding.

06	0608 0609.1 0617	Tail Light Switch Tail Lights and Lamps Trailer	16	SPRINGS 1601 1604	AND SHOCK ABSORBERS Springs and Shackles Shock Absorbers
11	AXLE	Front Auto Accombly	17	FENDERS	
12	1101 BRAKES	Front Axle Assembly	,	1701	Fenders
	1201	Hand Brake System	18	BODY	
13	WHEELS,	HUBS AND DRUMS		1805	Drain Valve
	1311 1312	Wheels, Bearings and Seals Hubs and Drums	22	MISCELL	ANEOUS ACCESSORIES
	1313	Tires and Tubes		2202	Reflectors
15	TRAILER 1503 1507	DRAWBAR AND SUPPORT LEGS Drawbar and Safety Chains Trailer Support Leg	23	<b>GENERA</b> 2304.1	L USE STANDARDIZED PARTS Standard Hardware

Manufacturers' Identification Symbols: Listed below are the symbols used as prefixes to the manufacturers' part and drawing numbers appearing in this book. The symbol indicates the manufacturer whose part number is used for each item.

Symbol	Manufacturer	Address
AD	Alemite Div. (Stewart-Warner Corp.). 1826 Diversey Pkwy.	, Chicago 14, Ill.
ASD	Arrow Safety Device Co., Inc	
AMB	American Bantam Car CoBantam	Ave., Butler, Pa.
BBC	Bendix Brake Co	South Bend, Ind.
$\mathbf{BT}$	Bingham Stamping and Tool Div.	
	(Logan Gear Co.)1062 Post St	., Toledo 6, Ohio
$\mathbf{B}\mathbf{X}$	Bendix Products Div.	
	(Bendix Aviation Corp.)401 Bendix Drive, Sou	ith Bend 20, Ind.
CB	Corcoran-Brown Lamp Div. (Electric	
	Auto-Lite Lamp Co.)4890 Spring Grove Ave., Ci	
$\mathbf{DM}$	H. A. Douglas Mfg. Co	
FM	Ford Motor Co	
$\mathbf{G}\mathbf{M}$	General Motors Corp	
KHW	Kelsey Hayes Wheel Co	
MAE	Monroe Auto Equipment Co E. 1st St	
PMA	Pressed Metals of America, IncP. O. Box 449, P	
$\mathbf{SP}$	Spicer Mfg. Co4100 Bennett Ro	
TIM	Timken Roller Bearing Co	
WEB	Warner Elec. Brake Mfg. Co	
wo	Willys-Overland Motors, Inc	I., Toledo 1, Ohio

List of Abbreviations: The following is a list of the standard abbreviations appearing in this catalog.

ARas required	mtgmounting
cd-pltd cadmium plated	NC National Coarse
corr-res-Scorrosion-resistant-steel	NF National Fine
cpcandlepower	No number
dld drilled	NPT
f/c-pinfor cotter pin	O.D outer diameter
fil-hd fillister head	pkzd parkerized
hdls headless	reg regular
hex hexagon	R.H right hand
hex-hd hexagonal head	S steel
hvheavy	SAE Society of Automotive
I.Dinner diameter	Engineers
ininch	std standard
L.Hleft hand	thk thick
lgh length	Vvolt
mach machine	w/ with





FIGURE A—TRAILER, ¼-TON PAYLOAD, 2-WHEEL, CARGO, 1942-43, AMERICAN BANTAM T-3


AND WILLYS MBT THREE QUARTER RIGHT REAR VIEW



RA PD 305184

FIGURE B—TRAILER, ¼-TON PAYLOAD, 2-WHEEL, CARGO, 1942-43, AMERICAN BANTAM T-3

AND WILLYS MBT THREE QUARTER RIGHT FRONT VIEW



Oh, one cannot really decree
That depots mind-readers should be
If your order for parts
Must be read by black arts
Let's make the above S.O.P.

Don't be a dope!
ORDER FROM SNL'S

	Note Sym- bol Ø W	1416			OR UNIT REPLACEMENT FOR 100 el Cargo, 1942-43							THS			
= - }	(1)	(2)	(3)	(4)	(5)		INITIA	(6) AL ISSU GUIDI	IE E	(7) ARMY DEPOT	(8) 1 Year Maint.	(9)	(10)	(11)	
3	Note Symbol	Stock Number	Ordnance or Manufacturer's Part Number	Ordnance or Manufacturer's Drawing Number	NOMENCLATURE	G	(a) 3rd HELON UIDE	ECH GU	b) th ELON IDE	Per 100 Major Items	Per 100 M. I. Base Depot Stock	Pro- cure- ment	Unit Wt.	Unit- ized Pack- age	Guid for 100 Majo Assy Rebuil
-		_				1 to 100	101 to 250	251 to 500	501 Up	30 Day Stock	(Incl. 5th Ech.)				
					GROUP 06-ELECTRICAL										
					0608—TAIL LIGHT SWITCH						-				
	%	G518-7000996	(AMB-14400) (WO-A-6539) (DM-53189)		GASKET, blackout light switch cover (Vellumoid).	4	4	8	8	8	45	50		2	,
F	H-4 %	H004-0506604	(AMB-14276) (WO-A-6021) (DM-6262)		SWITCH, light, blackout, assembly	1	1	2	2	2	· 9	10		1	
F	H-1 %	H001-4135681	120614 (AMB-32X5) (GM-120614) (WO-52216) (DM-50904)	BBKX2	NUT, reg., S., No. 10-32NF-2					See	Group	2304			
H	I-1 %	H001-1030582	(AMB-9X18-C) (GM-112872)	BCOX1	SCREW, mach., rd-hd., S., cd-pltd., No. 10- 32NF-2 x 5/16					See	Group	2304			
			(WO-53055) (DM-53338)												
H	I-1 %	H001-7021685	138534 (AMB-92X24-R)	BEAX1	WASHER, lock, internal teeth, reg., S., No. 10.					See	Group	2304			
			(GM-138534) (WO-52859) (DM-52140)	-											
					0609.1—TAIL LIGHTS AND LAMPS										
н	[-4 %	H004-0504430	(AMB-R-21380) (WO-A-1079) (CB-9232) (ASD-4032)		DOOR, blackout tail and blackout stop light	AR	AR	1	1	1	4	5		1	• • ·
			(CB-9232) (ASD-4032) (FM-GPW-13449-A)												

	H-4	%	H004-0504432	(AMB-R-21381) (WO-A-1076)		DOOR, blackout tail and service tail and stop light	AR	AR	1	1	1	4	5	1	1	
	H-1	%	H001-1030088	(CB-9231) 100757 (AMB-R-21382) (WO-1077) (CB-9233)	BCNX1	SCREW, mach., rd-hd., S., No. 8-32NC-2 x 11/4		ATTACK TO STATE OF COMMENT OF COMMENT			See	Group	2304		-	
	H-4	%	H004-0504423	504423 (AMB-R-21356) (WO-A-1078) (CB-9234) (ASD-4034)	DLBX2	LAMP-UNIT, blackout stop, sealed, one-opening, 6-8 V., 3 cp., assembly		AR	1	1	1	4	5		1	
	H-4	%	H004-0504420	504420 (AMB-R-21357) (WO-A-1075) (CB-9225) (ASD-4017)	DLBX2	LAMP-UNIT, blackout tail, sealed, 4-opening, 6-8 'V., 3 cp., assembly	. 1	1	2	2	2	9	10		2	
	H-4	%	H004-0504417	504417 (AMB-21355) (WO-A-1074) (CB-9218) (ASD-4025)	DLBX1	LAMP-UNIT, service tail and stop, sealed, 6-8 V., 21-3 cp., assembly		AR	1	1	1	4	5		1	
9	H-4	%	H004-0504413	504413 (AMB-R-11540) (WO-A-1065) (CB-60143) (ASD-40-R) (FM-GPW-13404-B)		LIGHT, blackout tail and blackout stop, 6-8 V.,   in, long mtg. stud, assembly (R.H.)		AR	1	1	1	4	5		1	
	H-4	%	H004-0504406	504406 (AMB-R-11544) (WO-A-1064) (CB-60142) (ASD-40-L)	DLBX1	LIGHT, blackout tail and service tail and stop, 6-8 V., 1/8 in. long mtg. stud, assembly (L.H.)		AR	1	1	1	4	5		1	
ORD	H-1	%	H001-4135745	(FM GPW-13405-B) 115120 (AMB-32X7-R) (WO-5790) (GM-115120)	BBKX2	NUT, reg., hex., s-fin., S., 1/4-20NF-2					See	Group	2304			
8, SNL	H-1	%	H001-7124701	174916 (AMB-92X86-R) (WO-53024) (GM-174916)	BEAX8	WASHER, lock, internal-external teeth, reg., S., ¼ in		Printed to make the section of the			See	Group	2304			
G-529								ferrid is linear management in the last								

0609.1

	(1	,	(2)	(3)	(4)	(5)	'	NITIA	6) L ISSU GUIDE	E	ARMY	1 Year	(9)	(10)	(11)
	No. Sym		Stock Number	Ordnance or Manufacturer's Part Number	Ordnance or Manufacturer's Drawing Number	NOMENCLATURE	ECH	a) rd ELON IDE	ECHI GU	th ELON IDE	Per 100 Major Items 30 Day	Maint. Per 100 M. I. Base Depot Stock	Pro- cure- ment	Unit Wt.	Unit- ized Pack- age
		_					1 to 100	101 to - 250	251 to 500	501 Up	30 Day Stock	(Incl. 5th Ech.)			
						0617—TRAILER ELECTRIC COUPLING AND CABLES									
		%	0340-14342	(AMB-14342) (WO-A-6339)		CABLE, connector to blackout tail and service tail and stop light	AR	AR	1	1	1	3	4	-	1
		%	0340-14318	(AMB-14318)		CABLE, connector to blackout tail and blackout									
		%	G516-7000998	(WO-A-6340) (AMB-14317) (WO-A-6387) (WEB-3744)		CABLE, jumper, tail light, w/PLUG, assembly	AR 1	AR 1	2	2	2	3 9	10		1
F	<del>I</del> -1	% %	G544-0583750 H001-1030132	(WEB-3695) 113954 (AMB-91X1-R)	BCNX2	PLUG, tail light jumper cable, assembly	AR	AR	1	1	1 See	4 Group	5 2304		.1
ł	I-1	%	H001-1075210	(WO-51738) (GM-113954) 175582 (AMB-66X1-R) (WO-52993)	всххз	SCREW, self-tapping, rd-hd., corr-res-S., No. 10- 24NC-2 x 3/8 (tail light cable clip to trailer frame).					See	Group	2304		
F	I-1	%	H001-1030100	110500 (AMB-9X2-R) (WO-5113) (GM-110500)	BCNX2	SCREW, mach., rd-hd., S., No. 10-24NF-2 x ½ (tail light cable clip to trailer frame)					See	Group	2304		
E	I-1	%	H001-1518005	(AMB-91X4-R) (WO-52221) (GM-106497)	BECX1	WASHER, lock, reg., S., No. 10 (tail light cable clip to trailer screw)					See	Group	2304		
						GROUP 11-AXLE								- 1	
						1101-AXLE ASSEMBLY									
		%	0340-14246	(AMB-14246) (WO-A-6823)		BEAM, axle, assembly(Includes:	AR	AR	1	1	1	4	5		1
			8080-17016 8080-17015	(AMB-R-21162) (AMB-R-21161)		2-NUT, wheel outer bearing 2-WASHER, wheel bearing									- 1
		1	8080-17017	(AMB-R-21163)		2-WASHER, wheel outer bearing nut)		- 1	1		1	1		- 1	- 1

			1947					,						,	**	
		and the second				GROUP 12-BRAKES								١		
						1201—HAND BRAKE SYSTEM										
		%	0340-14306	(AMB-14306) (WO-46000)		BELLCRANK, hand brake	. AR	AR	1	1	1	4	5	1		
	H-1	%	H001-1530008	103340 (AMB-90X6-R) (WO-53051) (GM-103340)	BEBX1	WASHER, plain, S., SAE std., 5/16 in					See	Group	2304			
		%	0340-14307	(AMB-14307)		BOLT, hand brake bellcrank pivot (hex., S., dld. f/c-pin, 3/8-24NF-3 x 11/64)	1.	١.	2		2	9	10	١, ١		
		%	0340-14325	(WO-A-6517) (AMB-14325) (WO-A-6406)		CABLE, hand brake, w/CONDUIT, assembly	AR	AR		1	1	4	5	i		
		%	0820-41876	(AMB-14368) (WO-637900) (BX-41876)		CAM, hand brake shoe anchor pin	. 1	1	2	2	2	7	8	1		
		%	0820-45771	(AMB-14370) (WO-A-754) (BX-45771)		ECCENTRIC, adjusting, brake shoe	. 2	2	4	4	4	22	24	2		,
=	H-1	%	H001-4167601	120369 (AMB-31X53-C) (WQ-A-755)	BBTX1	NUT, reg., hex., S., 3/8-24NF-2					See	Group	2304			
	<b>H</b> -1	%	H001-7025745 .	(BX-30-S-3-K6) 115093 (AMB-91X8-R) (WO-5010)	BECX1	WASHER, lock, reg., S., 3/8 in		1			See	Group	2304			
		%	0340-14327	(BBC-40833) (AMB-14327) (WO-A-6768)		EQUALIZER, hand brake lever cable	AR	AR	1	1	1	.4	5	1		
		%	0340-15099	(AMB-15099)  (AMB-14446)  (BT-A2791-CP)		KIT, repair, hand brake lever	AR	AR	1	1	1	4	5	1		
ORD		-		(AMB-14304) (BT-AE-6329) (AMB-14445) (BT-A-23637)		1-PAWL, hand brake lever  1-PIN, hand brake lever pawl rod button to pawl rod		And the state of t								
8, SNL				(AMB-14303) (BT-A6376C) (AMB-14443) (BT-A6378PR)		1-RATCHET, hand brake lever 1-ROD, hand brake lever pawl		c + Jr + 1 (mission) or all								
ဂှ			G518-7000952	(AMB-14444) (BT-45027-9)		1-SPRING, hand brake lever pawl rod)		100								120
529		i			-							!				=

	(1)	(2)	Ordnance or	(4) Onderson	(5)			GUIDE		ARMY DEPOT GUIDE	1 Year Maint. Per 100	(9)	(10)	
1	Note Symbol	Stock Number	Manufacturer's Part Number	Ordnance or Manufacturer's Drawing Number	NOMENCLATURE	ECH	a) ird ELON JIDE	ECH	b) th ELON IDE	Per 100 Major Items	M. I. Base Depot Stock	Pro- cure- ment	Unit Wt.	ized Pack age
_						1 to 100	101 to 250	251 to 500	501 Up	30 Day Stock	(Incl. 5th Ech.)			
					1201—HAND BRAKE SYSTEM (Cont'd)									
	%	0810-41911	(AMB-14372) (WO-637906) (BX-41911) (BT-A-304075)		LEVER, cam, hand brake	1	1	2	2	2	7 -	8		1
	%	9680-A-6378	(AMB-14302) (WO-A-6378)		LEVER, hand brake, assembly	AR	AR	1	1	1	3	4		1
H-	17 %	H017-0540242	(AMB-14404) (WO-116600) (BX-44517)		LINING SET, brake shoe, w/RIVETS	2	2	4	4	4	18	20		1
			(WO-116511) (WO-116552) (AMB14440)		2-LINING, brake shoe, forward 2-LINING, brake shoe, reverse									•
		G518-7001411	7001411 (AMB-14440) (WO-374586)		45-RIVET, brake shoe)					4				
H-	13 %	H013-0125352	(AMB-33X78-R) (WO-530460)		NUT, hand brake bellcrank pivot bolt (hex., S., castellated, rust proofed, 3/8-24NF-3)				,	See	Group	2304		
H-	1 %	H001-4171561	121917 (AMB-31X2-R) (WO-50802)	BBTX1	NUT, reg., hex., S., 5/16-24NF-2 (hand brake cable conduit bracket clamp screw)						Group			
	%		(AMB-14304) (WO-A-6329)		PAWL, hand brake lever (issue until stock is exhausted, then use KIT, AMB-15099)							<b>⊕</b>		
H-	1 %	H001-4057567	145490 (AMB-35X27-R)	BBSX6	NUT, hex., S., stamped., 5/16-24NF-2 (pawl to hand brake lever screw)					See	Group			
H-	1 %	H101-0215411	(WO-53049) (AMB-11X46-R) (WO-6609)		SCREW, cap, hex-hd., S., 5/16-24NF-2 x 11/8			,		See	Group	2304		
	%	0820-39953	(BT-A-6378) (AMB-14367) (WO-637899) (BK-39953)		PIN, anchor, brake shoe	1	1	2	2	2	7	8		1
													- 1	

	H-1	%	H001-4168685	(AMB-31X5-R) (WO-637924)	BBBX1	NUT, reg., hex., S., 1/2-20NF-2	1				See	Group	2304		
	H-1	%	H001-1518011	(BX-41708) 103323 (AMB-14442) (WO-637923)	BECX1	WASHER, lock, reg., S., ½ in					See	Group	2304		
	H-1	%	0340-14436 H001-0811025	(BX-41665) (AMB-14436) (WO-A-6526) 103361 (AMB-115X4) (WO-5067) (GM-103361)	BFAX1	PIN, clevis, cable end to brake cam lever (special, ½ in. x 21/32 in.)	. 1-	1.	2	2	2 See	7 Group	8 2304	.1	
		%	0820-46423	(AMB-14358) (WO-A-6458) (BX-46423)		PLATE, backing, brake, left, assembly	AR	AR	1	1	1	3	4	1	
		<b>%</b>	0820-46424	(AMB-14357) (WO-A-6459) (BX-46424)		PLATE, backing, brake, right, assembly	AR	AR	1	1	1	3	4	1	
	H-1	%	H001-4171601	121932 (AMB-31X3-R)	BBTX1	NUT, reg., hex., S., 3/8-24NF-2	1				See	Group	2304		
13	<b>H</b> -1	%	H001-1013244	215957 (AMB-1X26-R) (WO-A-903) (GM-215957)	BCBX1	SCREW, cap, hex-hd., S., 3/8-24NF-2 x 7/8					See	Group	2304		
	H-1	%	H001-7025745	115093 (AMB-91X8R)	BECX1	WASHER, lock, reg., S., 3/8 in	-				See	Group	2304		
		%	G085-2320185	(AMB-14369) (WO-637901) (BX-39959)		PLATE, brake shoe anchor pin	. 1	1	2	2	2	7	8	1	,
		%		(AMB-14303)		RATCHET, hand brake lever (issue until stock is							<b>⊕</b>		
	H-1		H001-4171561	(WO-A-6376) 121917 (AMB-31X2-R) (WO-50802)	BBTX1	NUT, reg., hex., S., 5/16-24NF-2					See	Group			
OR D	H-1	%	H001-1013231	215935 (AMB-1X8-R) (WO-53050)	BCBX1	SCREW, cap, hex-hd., S., 5/16-24NF-2 x 1					See	Group	2304		
<b>%</b>		%	0340-14328	(GM-215935) (AMB-14328)		ROD, adjusting, hand brake lever cable (S., pkzd.,	1						ا ا		
SNL		%	0340-14305	(WO-A-6516) (AMB-14305) (WO-A-6400)		NOD, hand brake lever to bellcrank (S., dld. f/c-pin, 12 3/4 in. long)		AR		1	1	3	4	1	
G-529															
Õ		Ф	Available for issue u	ıntil stock is exhausted.										 	<b>E</b>

.

GROUP	12-	BRA	KES
-------	-----	-----	-----

	(1)			(3) Ordnance or	(4)	(5)	_	LOAD	6) L ISSU GUIDE		ARMY DEPOT GUIDE	1 Year Maint.	(9)	(10)	*	Gaide
s	Note	ool	Stock Number	Manufacturer's Part Number	Ordnance or Manufacturer's Drawing Number	NOMENCLATURE	ECH	a) ird ELON IIDE	ECH!	b) th ELON IDE	Per 100	1 Year Maint. Per 100 M. I. Base Depot Stock (Incl. 5th Ech.)	Pro- cure- ment	Unit Wt.	ized Pack- age	Gaide for 100 Major Assy. Rebuilds
							1 to 100	101 to 250	251 to 500	501 Up	Major Items 30 Day Stock	(Incl. 5th Ech.)				
	,	The state of the s				1201—HAND BRAKE SYSTEM (Cont'd)									-	
Н-	1	%	H001-1013228	216282 (AMB-1X46-R) (WO-6609) (GM-216282)	BCBX5	SCREW, cap, hex-hd., S., 1/6-24NF-2 x 11/4 (hand brake cable conduit bracket clamp)					See	Group	2304	,		
H-:	1	%	H001-5419825	118772 . (AMB-1X14-R) (WO-53048) (GM-118772)	BCVX2	SCREW, cap, hex-hd., S., 5/16-24NF-2 x 3/4 (hand brake cable conduit clip to frame)					See	Group	2304			
_		%	G503-0125800	(AMB-14359) (WO-116549) (BX-1141-S-5)		SHOE, brake, front, w/LINING, assembly	2	2	4	4	4	14	16		2	
		%	G503-0125801	(MO-116550) (BX-1141-S-6)		SHOE, brake, rear, w/LINING, assembly	2	2	4	4	4.	14	16	**	2	£.
		%	G518-7000952	(MO-A-6476) (BT-45027-9)		SPRING, hand brake lever pawl rod (issue until stock is exhausted, then use KIT, AMB-15099).							<b>⊕</b>			
		%	G503-0389782	(MB-14371) (WO-637905) (BX-41545)		SPRING, return, brake shoe	1	1	2	2	3	11	12		2	
		%	0810-41927	(AMB-14366) (WO-637902) (BBC-41927)		STRUT, operating, brake shoe, left	AR	AR	1	1	1	3	4		.1	
			0810-41928	(AMB-14365) (WO-637903) (BBC-41928)			AR	AR	1	1	1	3	4		1	
<b>I</b> -:	1	%	H001-7025711	(WO-51833)	BECX1	WASHER, lock, reg., S., 1/16 in. (hand brake cable conduit bracket bolt)					See	Group	2304			

					GROUP 13—WHEELS, HUBS AND DRUMS									
					1311-WHEELS, BEARINGS AND SEALS									
	%	5200-25695	(AMB-14326) (WO-A-5470) (KHW-25695)		BOLT, rim to rim, divided wheel (S., ½-20NF-2 x 117/2)	4	4	10	10	10	43	48	.2	
	<b>%</b>	5200-24569	(AMB-R-20051) (WO-A-473) (KHW-24569)		BOLT, wheel to hub (special, L.H. thread, S., ½-20NF-2 x 111/32)	4	4	10	10	10	45	50	2	
	%	5200-24568	(AMB-R-20050) (WO-A-474) (KHW-24568)	,	BOLT, wheel to hub (special, R.H. thread, S., ½-20NF-2 x 111/2)		4	10	10	.10	45	50	2	
	H-12 %	H012-6141280	705423 (AMB-R-21159) (WO-52942) (TIM-18590)		CONE, tapered roller bearing (includes ROLLERS) (wheel, inner and outer)	· 2	2	5	5	5	18	20	1	
	H-12 %	H012-6219420	706836 (AMB-R-21160) (WO-52943) (TIM-18520)		CUP, tapered roller bearing (wheel, inner and outer).	2	2	5	5	5	18	20	1	
1	%	8080-17016	(AMB-R-21162) (WO-A-866) (SP-17016) (FM-GP-4252)		NUT, adjusting, wheel bearing, outer (thin, hex., S., 15/8 in.)	4	4	8	8	8	38	42	2	
	%	5200-25779	(AMB-14259) (WO-A-5471) (KHW-25779)		NUT, divided wheel rim to rim bolt (hex., S., ½-20NF-2)	4	4	8	8	8	43	48	2	
	%	8080-17016	(AMB-R-21162) (WO-A-866) (SP-17016)		NUT, wheel bearing (hex., S., thin, 15/8-16)	4	4	8	8	8	36	40	2	
	%	G503-0314838	(AMB-R-11028) (WO-A-475) (KHW-24576)		NUT, wheel to hub bolt (L.H. thread, hex., S., 1/2-20NF-2)	4	4	10	10	10	45	50	2	
2	%	G503-0314839	(AMB-R-11027) (WO-A-476) (KHW-24575)		NUT, wheel to hub bolt (R.H. thread, hex., S., ½-20NF-2)	.4	4	10	10	10	45	50	2	
	%	5200-25807	(AMB-14234) (WO-A-5488) (KHW-25807)		RING, lock, tire bead, 16 x 6:00 (for .55 in. wide tire bead)	1	1	2	2	2	7	8	1	
2														
Š	<b>F</b> 0	Available for issue u	ntil stock is exhausted.											7

#### GROUP 13 WHEELS, HUBS AND DRUMS

,	(1)	(2)	(3)	(4)	(5)	- 1	NITIA LOAD	(6) L ISSU GUIDE	E E	(7) ARMY DEPOT	(8) 1 Year Maint.	(9)	(10)		Guide
S	Note symbol	Stock Number	Ordnance or Manufacturer's Part Number	Ordnance or Manufacturer's Drawing Number	NOMENCLATURE	ECH	a) rd ELON IDE	ECH	b) lth ELON IDE	Per 100 Major Items	Maint. Per 100 M. I. Base Depot Stock	Pro- cure- ment	Unit Wt.	Unit- ized Pack- age	for 100 Major Assy. Rebuild
} } 				_		1 to 100	101 to 250	251 to 500	501 Up	30 Day Stock	(Incl. 5th Ech.)				
					1311—WHEELS, BEARINGS AND SEALS (Cont'd)										
H-	13 %	H013-0500128	500128 (AMB-R-21164) (WO-A-864) (SP-17004)		SEAL, oil, wheel bearing	4	4	8	8	8	36	40		2	
	%	8080-17015	(AMB-R-21161) (WO-A-865) (SP-17015) (FM-GP-1218)		WASHER, thrust, wheel bearing (tongued, 23/16 O.D., 141/4 I.D., .093 thk.)	4	4	6	6	6	22	24	7	4	
	%	8080-17017	(AMB-R-21163) (WO-A-867) (SP-17017) (FM-GP-1124)		WASHER, wheel bearing adjusting nut (lock, tongued, 2% O.D., 141/4 I.D., .0625 thk.)	4	4	6	6	6	22	24		4	
	%	8080-17015	(AMB-R-21161) (WO-A-865) (SP-17015)		WASHER, wheel bearing nut, inner (tongue, S., 23/6 O.D., 141/4 I.D., .093 thk.)	2	2	4	4	4	18	20	-	1	
	%	8080-17017	(AMB-R-21163) (WO-A-867) (SP-17017)		WASHER, wheel bearing nut (tab, S., 2% O.D., 141/4 I.D. x .0625 thk.)	2	2	4	4	4	18	20	-	1	
					1312-HUBS AND DRUMS										
	%	0340-14255	(AMB-14255) (WO-A-6038)		CAP, hub, wheel	1	1	2	2	2	9	10		1	
H-1	1 %	H001-5421245	123527 (AMB-1X10-R) (WO-53038) (GM-123527)	BCVX2	SCREW, cap, hex-hd., S., 3/8-16NC-2 x 3/8					See	Group	2304			
	%	8080-17146	(AMB-R-21031) (WO-A-904) (SP-17146)		GASKET, hub cap to hub	4	4	10	10	10	45	50		2	
	, ",						- 1	- 1	1		- 1		- 1	- 1	

		%	5200-25647	(AMB-R-11023) (WO-A-1689) (KHW-25647) (FM-GP-1103)		HUB, wheel, left, w/brake DRUM, assembly	AR	AR	1	1	1	3	4		1		
		%	5200-25646	(AMB-R-11022) (WO-A-1689) (KHW-25646)		HUB, wheel, right, w/brake DRUM, assembly	AR	AR	1	1	1	3	4		1	-	,
						1313—TIRES AND TUBES											
		4 % 4 %	H014-0511250 H014-0519246			TIRE, pneumatic, new, 6.00-16, 6 ply, light truck, mud and snow tread	2 2	2 2	4	4	4	22 22	25 25		1		
						GROUP 15-TRAILER DRAWBAR AND SUPPORT LEGS			•		·						
			*->			1503-DRAWBAR AND SAFETY CHAINS											
		%	G529-7010531	(AMB-14469) (WO-A-6393)		BOLT, eye, safety chain to frame channel	1	1	2	2	2	7	8		1		
17	H-1	%	H001-0718005	220068 (AMB-31X30-R) (WO-6163)	BBAX1	NUT, reg., hex., s-fin., S., ½-13NC-2					See	Group	2304				
	H-1	%	H001-1518011	103323 (AMB-91X60-R) (WO-5009)	BECX1	WASHER, lock, reg., S., ½ in					See ·	Group	2304	,			
		%	0340-14269	(WO-3009) (AMB-14269) (WO-A-6466)		BRACKET, draw bar, w/PLUNGER, assembly	AR	AR	1	1	· 1	3	4		. 1		
	·H-1	%	H001-4220625	125361 (AMB-33X79-R) (WO-53041)		NUT, castle, S., 7/16-20NF-2					See	Group	2304				
	H-1	%	H001-4417425	(GM-125361) 137164 (AMB-115X31-R) (WO-5021)	BFAX1	PIN, cotter, S., 3/32 x 3/4		4 7 4 4 5			See	Group	2304				
ORD 8	H-1	%	H001-1013267	(GM-137164) 216011 (AMB-14220) (WO-A-6518)	BCBX1	SCREW, cap, hex-hd., S., dld. f/c pin, 7/16- 20NF-2 x 1					See	Group	2304		,		
SNL		%	0340-14282	(GM-216011) (AMB-14282)		CHAIN, safety, draw bar, assembly	1 ,	1	2	2	2	7	8		1		13
IL G-529	H-1	%	H001-4217805	(WO-A-6392) 125280 (AMB-33X83-R) (WO-53039) (GM-125280)	ввнхз	NUT, castle, S., ¾-16NF-2					See	Group	2304				112-1503

#### GROUP 15-TRAILER DRAWBAR AND SUPPORT LEGS

	(1)		(2) Stock	Ordnance or Manufacturer's	Ordnance or Manufacturer's	(5)		INITIA LOAD (a)	GUIDI	(b)	ARMY DEPOT GUIDE	1 Year Maint. Per 100 M. I.		(10)	Unit- ized Pack-	١,
	Symi	bol	Number	Part Number	Drawing Number	NOMENCLATURE	ECH	IELON JIDE	ECH	ELON IDE	Per 100 Major	Base	Pro- cure- ment	Unit Wt.	Pack- age	Re
			-				1 to 100	101 to 250	251 to 500	501 Up	30 Day Stock	Depot Stock (Incl. 5th Ech.)				B
						1503—DRAWBAR AND SAFETY CHAINS (Cont'd)										
1-	1	%	H001-4417745	137195 (AMB-115X60) (WO-5108) (GM-137195)	BFAX1	PIN, cotter, split, S., 1/8 x 11/4			-		See	Group	2304			
1-	1	%	H001-1013354	(AMB-14222) (WO-A-6515) (GM-215951)	BCBX2	SCREW, cap, hex-hd., S., 3/4-16NF-2 x 4, dld. f/c-pin					See	Group	2304	,		
		%	0340-14280	(AMB-14280)	1 .00	EYE, lunette, draw bar (S., dld. f/c-pin, threaded										
1-	1	%	H001-4222825	(WO-A-6370) 123072 (AMB-33X84-R) (WO-53052) (GM-123072)	ввнхз	7/8-14NF-2)	AR	AR	1	1	See	Group	2304		1	
I-	2	%	H002-0504208	504208 (AMB-14338) (WO-640038)	CLDX6	FITTING, lubricating, straight, push type, ½- 27NPT, male (drawbar bracket)					See	Group	2304			
1-	1	%	H001-4167685	115731 (AMB-31X5-R) (WO-50811)	BBTX1	NUT, reg., hex., s-fin., S., ½-20NF-2 (frame channel to frame screw)			¥ ¥		See	Group	2304			
I-	1	%	H001-4167605	114942 (AMB-31X3-R) (WO-50922) (GM-114942)	BBTX1	NUT, reg., hex., s-fin., S., 3/8-24NF-2 (right frame clamp to frame)				,	See	Group	2304			
I-	1	%	H001-5424545	123614 (AMB-1X57-R) (WO-53036) (GM-123614)	BCVX2	SCREW, cap, hex-hd., S., ½-20NF-2 x 1½ (frame channel to frame)					See,	Group	2304	200		
I-	1	%	H001-5455261	120647 (AMB-1X12-R) (WO-50847) (GM-120647)	BCUX2	SCREW, cap, hex-hd., S., 3/8-24NF-2 x 1 (left and right frame clamp to frame)		,			See	Group	2304			

	%	G518-0389798	(AMB-14070) (WO-A-6010)		SPRING, draw bar bracket plunger (spring, S., % O.D. x 2 1/8 free lgh.)	1	1	2 2	2	2	9	10		1	
	%	0340-14299	(AMB-14299) (WO-A-6375)		SPRING, lunette eye (spring, S., 131/32 free lgh.)	. 1	1	2	2	2	7	8		1	
H-1	%	H001-7025805	116121 (AMB-91X10-R) (WO-53045) (GM-116121)	BECX1	WASHER, lock, reg., S., ½ in. (frame channel to frame screw)					See	Group	2304			
H-1	%	H001-7025745	115093 (AMB-91X8-R) (WO-52046) (GM-115093)	BECX1	WASHER, lock, reg., S., 3/8 in. (left and right frame clamp to frame screw)	•				See	Group	2304			
	%	0340-14301	(AMB-14301) (WO-A-6389)		WASHER, lunette eye spring (plain, S., 111/16 O.D., 29/32 I.D., 5/32 thk.)	1	1	2	2	2	7	8		1	٠,
	%	0340-14298	(AMB-14298) (WO-A-5388)		WASHER, lunette eye spring (tongue, S., 111/16 O.D., 29/32 I.D., 5/32 thk.)		1	3	3	3	11	12		1	
		2			1507—TRAILER SUPPORT LEG										
	%	0340-14235	(AMB-14235) (WO-A-6519)		BOLT, pivot, support bracket to drawbar bracket (hex-hd., S., 3/4-16NF-2 x 45/16)	2	2	2	2	2	11	12		2	
H-1	%	H001-4217805	(AMB-33X83-R) (WO-53039)	ввнхз	NUT, castle, S., 3/4-16NF-2					See	Group	2304			
H-1	%	H001-4417745	(GM-125280) 137195 (AMB-115X60-R) (WO-5108) (GM-137195)	BFAX1	PIN, cotter, S., ½ x 1¼					See	Group	2304	,		
	%	0340-14340	(AMB-14340) (WO-A-6527)		BOLT, support leg to bracket (hex-hd., S., dld. f/c-pin, ½-20NF-2 x 111/16)	2	2	2	2	2	11	12		2	
H-1	%	H001-4220665	(AMB-33X80-R) (WO-53040)	ввнхз	NUT, castle, S., ½-20NF-2					See	Group	2034			
<b>H</b> -1	%	H001-0811052	(GM-125370) 103385 (AMB-115X58) (WO-5137)	BFAX1	PIN, cotter, split, S., ½ x 1					See	Group	2304			
	%	0340-14228	(GM-103385) (AMB-14228) (WO-A-6371)		BRACKET, support leg	AR	AR	1	1	1	3	4		1	
	%	G518-0340600	(AMB-14075) (WO-A-6009)		HANDLE, plunger, support leg, w/SLEEVE, as-	AR	AR	1	1	1	3	4		1	,

OR D			GRC	OUP 15—	TRAILER DRAWBAR AND SUPPORT	T L	EGS	, ,							
, 8	(1)	(2)	(3)	(4)	(5)		INITIA LOAD	6) L ISSU GUIDI	IE E	(7) ARMY DEPOT	(8) 1 Year Maint.	(9)	(10)	(11)	
Ž Q	Note Symbol	Stock Number	Ordnance or Manufacturer's Part Number	Ordnance or Manufacturer's Drawing Number	NOMENCLATURE	ECH 3	a) rd ELON IIDE	ECH	b) th ELON IDE	Per 100 Major	Per 100 M. I. Base Depot	Pro- cure- ment		Unit- ized Pack- age	Guide for 100 Major Assy. Rebuild
-529						1 to 100	101 to 250	251 to 500	501 Up	Items 30 Day Stock	Stock (Incl. 5th Ech.)				nebulida
,					1507—TRAILER SUPPORT LEG (Cont'd)										
	н-1 %	H001-5962660	102379 (AMB-62X2) (WO-53035) . (GM-102379)	BCUX4	SCREW, set, S., hdls., 1/4-20NF-2 x 3/4 (trailer support leg)					See	Group	2034			
					GROUP 16—SPRINGS AND SHOCK ABSORBERS			,							
					1601—SPRINGS AND SHACKLES									,	
20	%	0340-14384	(AMB-14384) (WO-116609) (FM-GPW-5345-A)		BOLT, center, spring (fil-hd., S., 5/6-24NF-2 x 2) (issue until stock is exhausted, then use BOLT, AMB-15672)							⊕			
	%	3320-GPW-5333A	(AMB-15672) (WO-116711) (FM-GPW-5333A)		BOLT, center, spring (fil-hd., 5/16-24NF-2 x 23/8) (supersedes BOLT, AMB-14384)		2	4	4	4	18	20		. 2	
	%	0340-14270	(FM-GPW-5468) (AMB-14270) (WO-A-6776)		BOLT, spring to front shackle (special, dld. f/c-pin, S., %6-18NF-2)	2	2	4	4	4	18	20		2	
	%	0340-14315	(AMB-14315) (WO-A-8255)		BUSHING, right spring shackle, rear end (L.H.		,				9	10			
	%	0340-14314	(MO-A-8255) (AMB-14314) (WO-A-8256)		BUSHING, right spring shackle, front end, and		1	2	. 2	8	36	40		,	
	%	0340-14383	(FM-GPW-5781) (AMB-14383) (WO-359039)		left spring shackle, both ends (R.H. thread)  BUSHING, main spring eye (bronze, .085 O.D. x .565 I.D. x 11/16)	2	2	4	4	4	18	20		2	
	%	0340-14386	(AMB-14386) (WO-116460)		CLIP, rebound, spring, large (wrap type) (issue until stock is exhausted, then use SPRING, main, assembly, AMB-15673)							Ф.			3
	%	0340-14385	(AMB-14385) (WO-116458)		CLIP, rebound, spring, small (wrap type) (issue until stock is exhausted, then use SPRING, main, assembly, AMB-15673)							<b>#</b>	-		

	<i>7</i> 0	0340-14257	(AMB-14257) (WO-A-6511)		CLIP, spring to axle U-bolt (issue until stock is exhausted, then use CLIP, AMB-15674)							0		
	% %	0340-14421	(AMB-15674) (WO-A-8294) (AMB-14421) (WO-A-6508)		CLIP, spring to axle U-bolt (supersedes CLIP, AMB-14257).  NUT, spring to axle U-bolt clip (hex., special, S., 7/6-20NF-2).	2	2	4	4	4	18	20 20		2 2
H-1		H001-1516010	103328 (AMB-91X59-R) (WO-53044) (GM-103328)	весх3	WASHER, lock, hv., S., 7/6 in					See	Group	2304		
H-2		H002-0504208	(AMB-14338) (WO-640038) (AD-1980)	CLDX6	FITTING, lubricating, push type, 1/8-27NPT, male (spring shackle)		*			See	Group	2304		
	%	0340-14375	(AMB-14375) (WO-A-612-1) (FM-GPW-5313-B)		LEAF, No. 1, main spring, w/BUSHINGS, as- sembly (issue until stock is exhausted, then use SPRING, main, assembly, AMB-15673)							<b>⊕</b>		
×	%	0340-14376	(AMB-14376) (WO-A-612-2) (FM-GPW-5315-B)		LEAF, No. 2, main spring (issue until stock is ex- hausted, then use SPRING, main, assembly, AMB-15673)							<b>⊕</b>		
H-1	%	H001-4171601	(AMB-31X3-R) (WO-50922) (FM-33800-S2)	BBTX1	NUT, light, hex., s-fin., S., 3/8-24NF-3 (spring pivot bracket to frame bolt)					See	Group	2304		
H-1	%	H001-0713002	(GM-114942) 103048 (33X81-R) (WO-53043) (GM-103048)	BBFX2	NUT, castle, S., %6-18NF-2 (spring to front shackle bolt)					See	Group	2304		
H-1	%	H001-0811040	103374 (AMB-115X33) (WO-5021) (GM-103374)	BFAX1	PIN, cotter, split, S., 3/2 x 1 (spring to front shackle bolt)					See	Group	2304		
	%	0340-14409	(AMB-14409) (WO-A-1252) (FM-GPW-5482)		RETAINER, spring U-bolt grease seal	4	4	8	8	8 "	36	40	1	ا'
	%	0340-14408	(AMB-14408) (WO-A-1515) (FM-GPW-5431)		SEAL, grease, spring U-bolt (rubber)	4	4	8	8	8	36	40	4	•
	%	G503-0389792	(AMB-14268) (WO-A-612) (FM-GPW-5311)		SPRING, main, assembly (8 leaves) (issue until stock is exhausted, then use SPRING, main, assembly, AMB-15673)					- 1		Φ.		

(12)

Guide for 100 Major Assy. Rebuilds

(10) (11)

Unit Wt. Unitized Pack-

				1 * * * *.	1	GROUP 17—FENDERS	1	1	-			1	1			
	٠.					1701—FENDERS										
	H-1	%	H001-1013030	193999 (AMB-1X56-R) (WO-53031) (GM-193999)	BCAX1	SCREW, hex-hd., s-fin., S., cd-pltd., 3/8-16NC-2 2 3/4 (fender to trailer body)					See	Groun	2304			,
	H-1	%	H001-4171585	123228 (AMB-31X28-R) (WO-53033) (GM-123228)	BBTX1	NUT, light, hex., s-fin., S., pkzd., 3/8-16NC-3 (fender to trailer body screw)					See	Group	2304			
	H-1	%	H001-7043745	(GM-123228) 118775 (AMB-90X7-R) (WO-53032) (GM-118775)	BEBX1	WASHER, plain, S., SAE std., pkzd., 3/8 in. (fender to trailer body screw)					See	Group	2304			
						GROUP 18-BODY										
						1805—DRAIN VALVE										
		%	0340-14346	(AMB-14346) (WO-A4062)		SEAT, trailer body drain hole ball	. 1	1	2	2	2	7	8		1	
23		%	0340-14434	(AMB-14434) (WO-A4105)		SUPPORT, trailer body drain valve	. AR	AR	1	1	1 1	3	4		1	
	H-1	%	H001-5148235	124191 (AMB-9X19-R) (WO-52236)	BCNX2	SCREW, mach., rd-hd., S., pkzd., No. 10- 32NF-2 x 3/8					See	Group	2304			
	H-1	%	H001-1521003	(GM-124191) 114614 (AMB-92X4-R) (WO-53053)	BEAX4	WASHER, lock, external teeth, reg., S., No. 10 (trailer body drain valve support screw).					See	Group	2304			
		%	0340-14435	(GM-114614) (AMB-14435) (WO-A4121)		VALVE, drain, trailer body, assembly	1	1	2	2	2	7	8		1	
						GROUP 22—MISCELLANEOUS ACCESSORIES										
S B						2202—REFLECTORS										
8, SNL	<b>H-17</b>	%	H017-0506101	(AMB-14084) (WO-A1306) (KD-333-R)		REFLECTOR, reflex, red	2 .	2	4	4 .	4	18	20		1	
IL G-529	H-1	%	H001-0718021	(AD-333-R) 218563 (AMB-31X1) (WO-5914) (GM-218563)	BBBX1	NUT, reg., hex., s-fin., S., 1/4-28NF-2					See	Group	2304	,		

1701-2202

#### GROUP 22-MISCELLANEOUS ACCESSORIES

(	(1)	(2)	(3)	(4)	(5)		INITIA LOAD	6) L ISSU GUIDE	E	(7) ARMY DEPOT	(8) 1 Year Maint.			(11)	6
N Sy	lote mbol	Stock Number	Ordnance or Manufacturer's Part Number	Ordnance or Manufacturer's Drawing Number	NOMENCLATURE	ECH	(a) Brd IELON JIDE	ECHE GU	LON	Per 100 Major Items	1 Year Maint. Per 100 M. I. Base Depot Stock	Pro- cure- ment	Unit Wt.	Unit- ized Pack- age	
,						1 to 100	101 to 250	251 to 500	501 Up	30 Day Stock	(Incl. 5th Ech.)				
					2202—REFLECTORS (Cont'd)					4					
H-1	%	H001-1030673	149495 (AMB-9X16) (GM-149495)	BCOX1.1	SCREW, mach., rd-hd., S., 1/4-28NF-2 x 1/2					See	Group	2304			
H-1	%	H001-7025685	115109 (AMB-91X6-R) (WO-53058)	BECX1	WASHER, lock, reg., S., pkzd., ¼ in					See	Group	2304			
			(GM-115109)												
					GROUP 23—GENERAL USE STANDARDIZED PARTS								v		
					2304.1—STANDARD HARDWARE										
H-2	%	H002-0504208	504208 (AMB-14338) (WO-640038) (AD-1980)	CLDX6	FITTING, lubricating, stght., push type, 1/8-26NPT, male		AR	AR	AR	AR	240	240		12	
H-1	%	H001-0713002	103048 (AMB-33X81-R) (WO-53043) (GM-103048)	BBFX2	NUT, castle, S., %6-18NF-2	AR	AR	AR	AR	AR	48	48		24	
H-1	%	H001-4057565	BBSX6P-5 (AMB-35X27-R) (WO-53049) (GM-145490)	BBSX6	NUT, hex., S., stamped, pkzd., 5/16-24NF-2	AR	AR	AR	AR	AR	96	96		48	
H-1	%	H001-4171585	123228 (AMB-31X28-R) (WO-53033) (GM-123228)	BBTX1	NUT, light, hex., s-fin., S., pkzd., 3/8-16NC-3	AR	AR	AR	AR	AR	336	336		48	
H-1	%	H001-4167605	(MB-31X3-R) (WO-50922) (GM-114942)	BBTX1	NUT, light, hex., s-fin., S., pkzd., 3/8-24NF-2	AR	AR	AR	AR	AR	672	672		48	

	H-1	%	H001-4167685	(AMB-31X5-R) (WO-50811)	BBTX1	NUT, light, hex., s-fin., S., pkzd., ½-20NF-2	AR	AR	AR	AR	AR	240	240		48	
	H-1	%	H001-4135681	120614 (AMB-32X5) (WO-52216) (DM-50904) (GM-120614)	BBKX2	NUT, mach., screw, hex., S., cd-pltd., No. 10-		AR	AR	AR	AR	96	96		48	
	H-1	%	H001-4135745	(AMB-32X7-R) (WO-5790) (GM-115120)	BBKX2	NUT, mach., screw, hex., S., pkzd., 1/4-20NC-2	. AR	AR	AR	AR	AR	96	96		48	
	H-1	%	H001-0718021	218563 (AMB-31X1) (WO-5914) (GM-218563)	BBBX1	NUT, reg., hex., S., 1/4-28NF-2	AR	AR	AR	AR	AR	240	240		48	
	H-1	%	H001-1018022	218564 (AMB-31X2-R) (WO-5910) (GM-218564)	BBBX1	NUT, reg., hex., S., 5/16-24NF-2	AR	AR	AR	AR	AR	240	240		48	
25	H-1	%	H901-0718024	218570 (AMB-14421) (WO-A6508) (GM-218570)	BBBX1	NUT, reg., hex., S., 1/16-20NF-2	AR	AR	AR	AR	AR	144	144		48	
	H-1	%	H001-4220625	125361 (AMB-33X79-R) (WO-53041) (GM-125361)	ввнхз	NUT, slotted, hv., S., pkzd., 7/6-20NF-2	AR	AR	AR	AR	AR	96	96	-	48	
	H-1	%	H001-4220665	124370 (AMB-33X80-R) (WO-53040) (GM-125370)	ввнхз	NUT, slotted, hv., S., pkzd., ½-20NF-2	AR	AR	AR	AR	AR	.48	48		48	
٥	H-1	%	H001-4217805	125280 (AMB-33X83-R) (WO-53039) (GM-125280)	ввнхз	NUT, slotted, light, S., pkzd., 34-16NF-2	AR	AR	AR	AR	AR	72	72		24	
RD 8, SN	H-1	%	H001-4222825	123072 (AMB-33X84-R) (WO-53052) (GM-123072)	ввнхз	NUT, slotted, light, S., pkzd., 7/8-14NF-3	AR	AR	AR	AR	AR	24	24	×	24	
IL G-529	H-1	%	H001-0811025	103361 (AMB-115X4) (WO-5067) (GM-103361)	BFAX1	PIN, cotter, split, S., 1/16 x 1/2	AR	AR	AR	AR	AR	228	228		48	К

Note Symbol	Stock Number	Ordnance or Manufacturer's Part Number	Ordnance or Manufacturer's Drawing Number	NOMENCLATURE	ECHI	LOAD a) rd ELON IDE	ECH	b) th ELON IDE	ARMY DEPOT GUIDE Per 100 Major Items	1 Year Maint. Per 100 M. I. Base Depot	Pro- cure- ment	Unit Wt.	Unit- ized Pack- age	Guide for 100 Major Assy. Rebuild
×					1 to 100	101 to 250	251 to 500	501 Up	30 Day Stock	Base Depot Stock (Incl. 5th Ech.)			×,	nebulid
	×			2304.1—STANDARD HARDWARE (Cont'd)	×		1		× ×				5	
1-1 %	H001-0811029	113364 (AMB-115X31) (WO-5020) (GM-103364)	BFAX1	PIN, cotter, split, S., 1/6 x 11/4	AR	AR	AR	AR	AR	536	536		48	
1-1 %	H001-0811040	(GM-103374) (AMB-115X33) (WO-5021) (GM-103374)	BFAX1	PIN, cotter, split, S., 3/2 x 1	AR	AR	AR	AR	AR	288	288	*	48	
-1 %	H001-0811052	103385 (AMB-115X58) (WO-5137) (GM-103385)	BFAX1	PIN, cotter, split, S., 3/8 x 1	AR	AR	AR	AR	AR	288	288		48	
-1 %	H001-4417745	BFAX1DH-5 (AMB-115X60) (WO-5108) (GM-137195)	BFAX1	PIN, cotter, split, S., pkzd., ½ x 1	AR	AR	AR	AR	AR	144	144	*	48	  -  -
-1 %	H001-1013230	136914 (AMB-1X14-R) (WO-6609) (WO-6378) (GM-136914)	BCBX1	SCREW, cap, hex-hd., S., 5/16-24NF-2 x 1/8	AR	AR	AR	AR	AR	24	24		24	
-1 %	H001-1013231	215935 (AMB-1X8-R) (WO-53050) (GM-215935)	BCBX1	SCREW, cap, hex-hd., S., 5/16-24NF-2 x 1	AR	AR	AR	AR	AR	48	48		24	**************************************
-1 %	H001-1013228	216282 (AMB-1X46-R) (GM-216282)	BCBX5	SCREW, cap, hex-hd., S., 5/6-24NF-2 x 1½	AR	AR	AR	AR	AR	48	48		24	*
-1 %	H001-1013030	193999 (AMB-1X56-R) (WO-53031)	BCAX1	SCREW, cap, hex-hd., S., 3/8-16NC-2 x 3/4	AR	AR	AR	AR	AR	72	72	×	24	z xx

		H		×					,		*				
H-1	%	H001-1030132	113954 (AMB-9X1-R) (WO-51738) (GM-113954)	BCNX2	SCREW, mach., rd-hd., S., 1/4-20NC-2 x 3/8	AR	AR	AR	AR	AR .	24	24	7	12	
7,	R		(AMB-9X18-C) (WO-53055) (DM-53338) (GM-112872)						×						
H-1	%	H001-1030582	(AMB-9X2-R) (WO-5113) (GM-110500) 112872	BCOX1.1	SCREW, mach., rd-hd., S., No. 10-32NF-25/16	AR	AR	AR	AR	AR	72	72	8	24	
H-1	%	H001-1030100	(AMB-R21362) (WO-1077) (ASD-4033) (CB-9238) 110500	BCNX2	SCREW, mach., rd-hd., S., No. 10-24NC-2 x ½	AR	AR	AR	AR	AR	72	72		24	34 1
H-1	%	H001-1030088	(GM-123614) 100757	BCNX1	SCREW, mach., rd-hd., S., No. 8-32NC-2 x 11/4	. AR	AR	AR	AR	AR	72	72		24	
H-1	%	H001-5424545	(AMB-1X57-R) (WO-53036)	BCVX2	SCREW, cap, hex-hd., S., pkzd., ½-20NF-3 x 11/8	AR	AR	AR	AR	AR	72	72		24	
		×	(AMB-1X10-R) (WO-6299) (GM-123527)								10 20	× .	*	*	×
<b>H</b> -1	%	H001-5421245	(AMB-14220) (WO-A6518) (GM-216011) 123527	BCVX2	SCREW, cap, hex-hd., S., pkzd., 3/8-16NF-3 x 3/8.			AR		1	240	24		24	
H-1	%	H001-1013267	(GM-120647) 216011	BCBX1	SCREW, cap, hex-hd., S., dld. f/c-pin, 7/16-20NF-2							-	$\vdash$	_	
H-1	%	H001-5421261	(GM-215951) 120647 (AMB-1X12-R) (WO-50847)	BCVX2	SCREW, cap, hex-hd., S., cd-pltd., 3/8-24NF-2 x 1	AR	AR	AR	AR	AR	144	144		24	
<b>H</b> -1	%	H001-1013354	(GM-215937) 215951 (AMB-14222) (WO-A6515)	BCBX2	SCREW, cap, hex-hd., S., 3/4-16NF-2 x 4	AR	AR	AR	AR	AR	6	6		6	
H-1	70	H001-1013244	(AMB-1X26-R) (WO-A903)	BCBX1	SCREW, cap, hex-hd., S., 3/8-24NF-2 x 7/8			(S)	×		240			24	* ×

2304.1

#### GROUP 23-GENERAL USE STANDARDIZED PARTS

1	(1)	(2)	(3)	(4)	(5)	_'	NITIA LOAD	6) L ISSU GUIDE	E	ARMY DEPOT QUIDE	(8) 1 Year Maint.	77.5	(10)		١,
Sy	lote mbol	Stock Number	Ordnance or Manufacturer's Part Number	Ordnance or Manufacturer's Drawing Number	NOMENCLATURE	ECHI	a) rd ELON IDE	ECHI	IDE	Per 100 Major Items	1 Year Maint. Per 100 M. I. Base Depot Stock (Incl. 5th Ech.)	Pro- cure- ment	Unit Wt.	Unit- ized Pack- age	
		1 Mg.				1 to 100	101 to 250	251 to 500	501 Up	30 Day Stock	(Incl. 5th Ech.)				
					2304.1-STANDARD HARDWARE (Cont'd)	ľ				26 X					
H-1	%	H001-1030673	421770 (AMB-9X16) (GM-421770) (WO-52834)	BCOX1.1	SCREW, mach., rd-hd., S., 1/4-28NF-2 x 1/2	AR	AR	AR	AR	AR	144	144		24	
H-1	%	H001-5148235	124191 (AMB-9X19-R) (WO-52236) (GM-124191)	BCNX2	SCREW, mach., rd-hd., S., pkzd., No. 10-24NC-2 x 3/8	AR	AR	AR	AR	AR	48	48	×	24	
H-1	%	H001-1075210	175582 (AMB-66X1-R) (WO-52993) (GM-175582)	BCXX3	SCREW, self-tapping, rd-hd., corr-res-S., No. 10-24NC-2 x 3/8	AR	AR	AR	AR	AR	24	24		24	
H-1	%	H001-1069011	Q-83-PB (AMB-62X2) (WO-53035)	Q-83	SCREW, set, hdls., rd-pt., S., 1/4-20NF x 3/4	AR	AR	AR	AR	AR	24	24		12	l
H-1	%	H001-1521003	114614 (AMB-92X4-R) (WO-53053) (GM-114614)	BEAX4	WASHER, lock, S., external teeth No. 10	AR	AR	AR	AR	AR	96	96		48	
	%	H001-1516010	103328 (AMB-91X59-R) (WO-53044) (GM-103328)	весх3	WASHER, lock, hv., S., 3/16 in	AR	AR	AR	AR	AR	288	288		24	
H-1	%	H001-7124701	(MB-92X86-R) (WO-53024) (GM-174916)	BEAX8	WASHER, lock, internal-external teeth, S., cd-pltd., 1/4 in	AR	AR	AR	AR	AR	240	240		48	
H-1	%	H001-7021685	138534 (AMB-92X24-R) (WO-52859) (DM-52140) (GM-138534)	BEAX1	WASHER, lock, internal teeth, reg., S., pkzd., No.	AR	AR	AR	AR	AR	192	192	2	48	

	H-1	%	H001-1518005	(AMB-91X4-R) (WO-52221)	BECX1	WASHER, lock, reg., S., No. 10	AR	AR	AR	AR	AR	480	480		48	
	H-1	%	H001-1518008	(GM-106497) 103320 (AMB-91X107-R) (WO-51833) (GM-103320)	BECX1	WASHER, lock, reg., S., 5/16 in	AR	AR	AR	AR	AR	96	96	*	48	×
	H-1	%	H001-7025685	(MB-91X6-R) (WO-52706) (GM-115109)	BECX1	WASHER, lock, reg., S., pkzd., ¼ in	AR	AR	AR	AR	AR	480	480	~	48	
	H-1	%	H001-7025745	BECX1K-5 (AMB-91X8-R) (WO-52046) (GM-115093)	BECX1	WASHER, lock, reg., S., pkzd., 3/8 in	AR	AR	AR	AR	AR	768	768	Ę.	48	
1	H-1	%	H001-7025805	116121 (AMB-91X10-R) (WO-53045) (GM-116121)	BECX1	WASHER, lock, reg., S., pkzd., ½ in	AR	AR	AR	AR	AR	432	432		48	*
	H-1	%	H001-7025711	120214 (AMB-91X7-R) (WO-53047) (GM-120214)	BECX1	WASHER, lock, reg., S., cd-pltd., 1/6 in	AR	AR	AR	AR	AR	288	288		48	* *
3	H-1	%	H001-1530008	103340 (AMB-90X6-R) (WO-53051) (GM-103340)	BEBX1	WASHER, plain, S., SAE std., 5/16 in	AR	AR	AR	AR	AR	48	48	×	48	38
	H-1	%	H001-7043745	118775 (AMB-90X7-R) (WO-53032) (GM-118755)	BEBX1	WASHER, plain, S., SAE std., pkzd., 3/8 in.	AR	AR	AR	AR	AR	576	576	×	48	

#### MAINTENANCE TOOLS FOR ORDNANCE PERSONNEL

The tools required for Ordnance organizations for the maintenance of Motor Vehicles are listed in ORD 6 SNL G-27, "Tools, Maintenance, for Repair of Motor Vehicles," and are issued as required.

#### NOTES

The SNL reference in the note symbol column indicates the SNL in which the item is stored, issued, and reviewed.

- Ø The major item indicated by (Ø) is stored, issued and reviewed under "Major Items," ORD 3 SNL G-1.
- W (a) Items indicated by (W) are non-expendable.
  - (b) Items not marked by (W) are expendable.

#### ALPHABETICAL INDEX

Certain classes of parts are not included in this index. Those parts, which are attaching parts and indented under the part attached have been omitted as they can be located by looking up the item attached. However, where the attached part is not an authorized item of issue, the attaching parts are listed in each group in alphabetical sequence (if special) and included in this index. All standard hardware and bulk material is listed in group 2304 and omitted from this index, whether or not the item is an attaching part. For example: To find the attaching parts for a bracket, look up BRACKET in this index, determine the correct BRACKET you are interested in and turn to the group shown, where the attaching parts will be shown. If you do not find the desired BRACKET in the index, then it will not be an authorized item of issue and the attaching part it is not an authorized item of issue.

ltem Group	Item Group
A .	LEAF, main spring, assembly
ABSORBER, shock, assembly	LEVER, cam, hand brake
	LEVER, hand brake, assembly
В	LIGHT, blackout tail and blackout stop, assembly0609.1
BEAM, axle, assembly	LIGHT, blackout tail and service tail and stop,
	assembly
BELLCRANK, hand brake	
BOLT, center, spring	N
BOLT, eye, safety chain to frame channel	NITTO adjusting subset baseing 1911
BOLT, hand brake bellcrank pivot	NUT, adjusting, wheel bearing
BOLT, pivot, support bracket to drawbar bracket 1507	NUT, divided wheel rim to rim bolt
BOLT, rim to rim	NUT, wheel bearing
BOLT, spring to front shackle	NUT, wheel to hub bolt1311
BOLT, support leg to bracket	
BOLT, wheel to hub	P
BRACKET, drawbar, assembly	PAWL, hand brake lever
BRACKET, support leg	PIN, anchor, brake shoe
BUSHING, right spring shackle	PIN, clevis, cable end to brake cam lever
BUSHING, shock absorber	PLATE, backing, brake1201
BUSHING, spring to front shackle bolt	PLATE, brake shoe anchor pin
	PLUG, tail light jumper cable, assembly0617
- C	
CABLE, connector to blackout tail and service tail	R
and stop light	DATCHET hand backs laws
CABLE, hand brake, assembly	RATCHET, hand brake lever
CABLE, jumper, tail light, assembly	REFLECTOR, reflex
CABLE, connector to blackout tail and blackout stop	RETAINER, spring, U-bolt greaser seal
light	RING, tire bead1311
CAM, hand brake shoe anchor pin	ROD, adjusting, hand brake lever cable
CAP, hub, wheel	ROD, hand brake lever to bellcrank1201
CHAIN, safety, draw bar, assembly	
CLIP, rebound, spring	S
CLIP, spring to axle U-bolt	SEAL, grease spring U-bolt
CONE, tapered roller bearing	SEAL, oil, wheel bearing
CUP, tapered roller bearing	SEAT, trailer body drain hole ball
,,,	SHOE, brake, assembly
D	SPRING, drawbar bracket plunger
DOOR, blackout tail and blackout stop light0609.1	SPRING, hand brake lever pawl rod
DOOR, blackout tail and service tail and stop light 0609.1	SPRING, lunette eye
Door, blackout tan and service tan and stop light 0609.1	SPRING, main, assembly
E	SPRING, return, brake shoe1201
ECCENTRAL CONTRACTOR OF THE CO	STRUT, operating, brake shoe
ECCENTRIC, adjusting, brake shoe	SUPPORT, trailer body drain valve
EQUALIZER, hand brake lever cable	SWITCH, light, blackout, assembly
EYE, lunette, drawbar1503	SWITCH, light, blackout, assembly
	т
G	
GASKET, blackout light switch cover	TIRE, pneumatic
GASKET, hub cap to cap	TUBE, light truck
н	U
HANDLE, plunger, support leg, assembly	U-BOLT, spring to hanger
HUB, wheel, assembly	
TOD, wheel, assembly	V
. v	WAT WE design topiles hades
Trum	VALVE, drain trailer body1805
KIT, repair, brake shoe lining	'
KIT, repair, hand brake lever1201	, w
· ·	WASHER, lunette eye spring
L L	WASHER, shock absorber to bracket
LAMP-UNIT, blackout stop, assembly0609.1	WASHER, thrust, wheel bearing
LAMP-UNIT, blackout tail, assembly	WASHER, wheel bearing adjusting nut
LAMP-UNIT, service tail and stop, assembly0609.1	WASHER, wheel bearing nut
,	B

## ORDNANCE AND MANUFACTURERS' PART AND DRAWING NUMBERS

This index is prepared in strict numerical sequence, that is, all letters or dashes prefixed, suffixed or interspersed in the numbers are disregarded. For instance, AMB-91X60-R is in sequence as 9160 but the complete number AMB-91X60-R, including the manufacturers' symbol as the prefix, is shown in the listing. However, Ordnance Standard Parts as listed in group 2304 are not included in this index. All Ordnance numbers in this index are ine.../ified by the prefix "ORD" in this index but not in the body of the book.

Number Group	Number	Group	Number	Group	Number	Group
AMB-1X8-R1201	AMB-31X53-C	1201	WO-A-6406	1201	AMB-14276	0608
ASD-40-L0609.1		1201	WO-A-6458		AMB-14280	
ASD-40-R0609.1		1503	WO-A-6459	1201	AMB-14282	
AMB-9X2-R0617	AMB-33X80-R	1507	WC-A-6466		AMB-14297	1604
AMB-1X10-R1312	AMB-33X81-R		WO-A-6476		AMB-14298	1503
AMB-1X12-R1503	AMB-33X83-R.		WO-A-6508		AMB-14299	
AMB-1X14-R1201	AMB-33X83-R		WO-A-6510		AMB-14301	
AMB-1X26-R1201	AMB-33X84-R		WO-A-6511		AMB-14302	1201
AMB-1X46-R1201	AMB-35X27-R		WO-A-6515 WO-A-6516		AMB-14303	1201
AMB-1X56-R1701 AMB-1X57-R1503	WEB-3695 WEB-3744		WO-A-6517		AMB-14304 AMB-14305	1201
AMB-31X11805	ASD-4017		WO-A-6518		AMB-14306	
AMB-31X2-R1201	ASD-4025		WO-A-6519		AMB-14307	
AMB-31X3-R1201	ASD-4032		WO-A-6526		AMB-14312	
AMB-31X3-R1503	ASD-4034		WO-A-6527		AMB-14313	
AMB-31X3-R1601	WO-A4062	1805	WO-A-6539	0608	AMB-14314	1601
AMB-31X5-R1201	WO-A4105			1201	AMB-14315	
AMB-31X5-R1503	WO-A4121		WO-A-6768		AMB-14317	
AMB-31X5-R1604	FM-GP-4252		WO-A-6776		AMB-14325	
AMB-32X50608	WO-5009		WO-A-6823		AMB-14326	
AMB-32X7-R0609.1			WO-A-6902		AMB-14327	
KD-333-R2202	WO-5021		WO-A-8255		AMB-14328	
WO-A-4731311	WO-5021 WO-5067		WO-A-8256 WO-A-8294		AMB-14338 AMB-14338	
WO-A-474	WO-5108		PMA-8357		AMB-14340	
WO-A-4761311	WO-5108		WO-A-8463		AMB-14342	
WO-A-5131601	WO-5113		AMB-91X10-R		AMB-14346	
WO-A-5141601	WO-5137		AMB-91X59-R		AMB-14357	
WO-A-6121601	FM-GWP-5310		AMB-91X60-R		AMB-14358	
AMB-62X21507	FM-GPW-5311	1601	CB-9218	0609.1		
AMB-66X1-R0617	FM-GPW-5313	-B 1601	AMB-92X24-R	0608	AMB-14362	1201
WO-A-7541201	FM-GPW-5333			0609.1		
WO-A-7551201	FM-GPW-5345			0609.1	AMB-14366	
WO-A-8641311	PMA-5358		CB-9232		AMB-14367	
WO-A-8651311	WO-A-5388		CB-9233		AMB-14368	
WO-A-866	FM-GPW-5431 FM-GPW-5468		CB-9234 AMB-92X86-R		AMB-14369	
WO-A-867	FM-GPW-5468 WO-A-5470		AMB-R-10246.		AMB-14370 AMB-14371	
WO-A-9041312	WO-A-5471		AMB-R-10247		AMB-14372	
AMB-90X6-R1201			AMB-R-11022.		AMB-14375	
AMB-90X7-R1701	WO-A-5488		AMB-R-11023.		AMB-14376	
AMB-91X1-R0617	FM-GPW-5778		AMB-R-11027.		AMB-14440	
AMB-91X4-R0617	FM-GPW-5779	1601	AMB-R-11028.		AMB-14383	
AMB-9X162202	FM-GPW-5781	1601	BX-1141-S-5.		AMB-14384	1601
AMB-91X6-R2202	WO-5790			1201		
AMB-9X18-C0608	WO-5914		MAE-11465		AMB-14386	
AMB-91X8-R1201	WO-A-6009		AMB-115X31-F			
AMB-91X8-R1503	WO-A-6010		AMB-115X33.			
AMB-9X19-R1805	WO-A-6021		AMB-R-11540.		AMB-14408	
AMB-92X4-R1805 WO-A-10640609.1	WO-A-6038 WO-A-612-1		AMB-R-11544. AMB-115X58.		AMB-14409 AMB-14421	
WO-A-10650609.1			AMB-115X60.		AMB-14421	
WO-A-10740609.1			AMB-115X60-F		AMB-14435	
WO-A-10750609.1			FM-GPW-134		AMB-14436	
WO-A-10760609.1			FM-GPW-134		AMB-14440	
WO-10770609.1			FM-GPW-134		AMB-14443	
WO-A-10780609.1			AMB-14070		AMB-14444	
WO-A-10790609.1	WQ-A-6340	0617	AMB-14075	1507	AMB-14445	1201
FM-GP-11031312	WO-A-6370		AMB-14084	2202	AMB-14446	1201
FM-GP-1123 1311	WO-A-6371		AMB-14220		AMB-14469	1503
AMB-11X46-R1201	WO-A-6375		AMB-14222		AMB-15099	
AMB-115X41201	WO-A-6376		AMB-14228		AMB-15672	
FM-GP-12181311	BT-A6376C		ÀMB-14234		AMB-15673	
WO-A-12521601	BT-A-6378		AMB-14235		AMB-15674	
WO-A-13062202			AMB-14235		SP-17004	
	WO-A-6378					
WO-A-15151601	BT-A6378PR.		AMB-14255		SP-17015	
WO-A-16891312	WO-A-6387		AMB-14257		SP-17016	
AD-19801601	WO-A-6389		AMB-14259		SP-17017	
BT-A2791-CP1201	WO-A-6392		AMB-14268		<b>SP-17146</b>	
BX-30-S-3-K61201	WO-A-6393	1503	AMB-14269	1503	TIM-18520	1311
AMB-31X30-R1503	-				TIM-18590	

#### ORDNANCE AND MANUFACTURERS' PART AND DRAWING NUMBERS (Cont'd)

Number _	Group	Number	Group	Number	Group	Number	Group
AMB-R-20050	1311	BX-46423	1201	DM-53338	0608	GM-125361	1503
AMB-R-20051	1311	BX-46424	1201	CB-60142	0609.1	GM-125370	1507
AMB-R-21031	1312	WO-50802	1201	CB-60143	0609.1	GM-128534	0608
AMB-R-21159	1311	WO-50811	1503	AMB-91X107-R.	1201	GM-137164	0503
AMB-R-21160	1311	WO-50811		AMB-91X110-R.	1604 /	GM-137195	1503
AMB-R-21161	1000	WO-50847		GM-103048	1601	GM-137195	1507
AMB-R-21161	1311	DM-50904	0608	GM-103328	1601	AMB-14442	1201
AMB-R-21162	1000	WO-50922	1311	GM-103340	1201	GM-149495	
AMB-R-21162	1311	WO-50922	1601	GM-103361		GM-174916	
AMB-R-21163		WO-51738		GM-103374		GM-193999	
AMB-R-21163		WO-51833		GM-103385		GM-215935	
AMB-R-21164		WO-52046		GM-106497		GM-215951	
AMB-21355	0609.1	DM-52145		GM-110500		GM-215957	
AMB-R-21356	0609.1	WO-52216		GM-112872		GM-216282	
AMB-R-21357	0609.1	WO-52221		GM-113954	0617	GM-218563	2202
AMB-R-21380	0609.1	WO-52859	0608	GM-114614	1805	BT-A-304075	
AMB-R-21381	0609.1	WO-52942	1311	GM-114942	1503	FM-33800-S2	1601
AMB-R-21382	0609.1	WO-52943	1311	GM-114942	1601	WO-359039	1601
GM-216011	1503	WO-52993		GM-115093	1503	WO-374586	1201
BT-A-23637	1201	WO-53024		GM-115109	2202	BT-45027-9.	1201
KHW-24568		WO-53031		GM-115120	0609.1	ORD-500128.	1311
KHW-24569		WO-53032		GM-116121	1503	ORD-504413	
KHW-24575	1311	WO-53033	1701	GM-116121	1604	ORD-504417	
KHW-24576		WO-53035		WO-116458			
KHW-25646		WO-53036		WO-116460		ORD-504420	
KHW-25647		WO-53038		WO-116511		ORD-504423	
KHW-25695		WO-53039		WO-116549		GM-522361	
KHW-25779 KHW-25807		WO-53039		WO-116550 WO-116552		WO-530460	1201
AMB-31X28-R		WO-53040 WO-53041		WO-116600		WO-637899	1201
BK-39953		WO-53043		WO-116609		WO-637900	1201
BX-39959		WO-53044		WO-116711		WO-637901	1201
BBC-40833		WO-53045		GM-118772		WO-637902	1201
BX-41545		WO-53045		GM-118775		WO-637903	
BX-41665		WO-53048		GM-120614		WO-637905	
BX-41708		WO-53049		GM-120647		WO-637906	
BX-41876		WO-53050		GM-123072		WO-637923	
BX-41911		WO-53051		GM-123228		WO-637924	
BBC-41927		WO-53052		GM-123527		WO-6379-36.	
BBC-41928		WO-53053		GM-123614		WO-640038	1503
BX-44517	1201	WO-53055	0608	GM-124191	1805	WO-640038	1601
BX-45771	1201	WO-53058	2202	GM-125280	1503	ORD-705423	1311
WO-46000	1201	DM-53189	0608	GM-125280	1507	ORD-706836	1311

#### STOCK NUMBER INDEX

This index includes two types of stock numbers which are not intermixed, the SNL prefix type and the stock class code (manufacturers' numerical symbol) prefix type. These numbers are each arranged numerically by types. However, stock numbers for Ordnance Standard Parts as listed in group 2304 are not included in this index.

Stock No.	Group	Stock No.	Group	Stock No.	Group	Stock No.	Group
G085-2320185	1201	H013-0500128	1311	0340-14315	1601	0820-39953	1201
G503-0125800	1201	H014-0511250	1313	0340-14318	0617	0820-41876	1201
G503-0125801	1201	H014-0519246	1313	0340-14325	1201	0820-45771	1201
G503-0314838	1311	H017-0506101	2202	0340-14327	1201	0820-46423	1201
G503-0314839	1311	H017-0540242	1201	0340-14328	1201	0820-46424	1201
G503-0389782	1201	0340-R-10247	1604	0340-14340	1507	3320-GPW-5310	-B 1601
G503-0389792	1601	0340-14228	1507	0340-14342	0617	3320-GPW-5333	A1601
G516-7000998	0617	0340-14235	1507	0340-14346	1805	3320-GPW-1806	01604
G518-0340600	1507	0340-14246	1000	0340-14436	1201	5200-24568	1311
G518-0389798	1503	0340-14255	1312	0340-14375	1601	5200-24569	1311
G518-7000952	1201	0340-14257	1601	0340-14376	1601	5200-25646	1312
G518-7000996	0608	0340-14269	1503	0340-14383	1601	5200-25647	1312
G518-7001411	1201	0340-14270	1601	0340-14384	1601	5200-25695	1311
G529-7010531	1503	0340-14280	1503	0340-14385	1601	5200-25779	1311
G544-0583750	0617	0340-14282	1503	0340-14386	1601	5200-25807	1311
H004-0504406	0609.1	0340-14298	1503	0340-14408	1601	6445-11465	1604
H004-0504413	0609.1	0340-14299	1503	0340-14409	1601	8080-17015	1101
H004-0504417	0609.1	0340-14301	1503	0340-14421	1601	8080-17015	1311
H004-0504420		0040 14005	1201	0340-14434	1805	8080-17016	1101
H004-0504423		0340-14306		0340-14435		8080-17016	
H004-0504430				0340-15099		8080-17017	
H004-0504432	0609.1	0340-14307					
H004-0506604	0608	0340-14312		0810-41911		8080-17017	
H012-6141280	1311	0340-14313		0810-41927		8080-17146	
H012-6219420	1311	0340-14314.	1601	0810-41928	1201	9680-A-6378	1201